


The marking on this product doesn't contain environmental hazardous materials per directive 2011/65/EU for RoHS compliance.

REVISIONS

ECN NO.	REV.	DESCRIPTIONS	CHECKED	APPROVED	DATE
REV.	AX1	INITIAL RELEASE	KOCHI	ALEX	12/09/2016

NOTE:

1. THE CABLE ASSEMBLY SHALL BE MEET RoHS2.0 COMPLIANT.
该产品通过RoHS2.0认证.
2. THE CABLE ASSEMBLY SHALL MEET BELOW IMPENDANCE REQUIREMENT:
TERMINATION AREA: $85\pm 15\%$ OHMS, CABLE ABSOLUTE AREA: $85\pm 10\%$ OHMS.
该产品满足下面阻抗特性: 接触区域 $85\pm 15\%$ 欧姆, 线材为 $85\pm 10\%$ 欧姆.
3. ELECTRICAL AND MECHANICAL PERFORMANCE SHALL MEET PCIe GEN3 SPECIFICATION.
电气性能满足PCIe GEN3规范.



RSC80-0039
REV AX1
AX DD/MM/YY

LABEL DETAIL

6	HMMTP00012	ACETATE TAPE:W=1INCH,HF	A/R
5	HMTBD00501	EXPANDO TUBE:OD=5MM,BLACK,VW-1,HF	A/R
4	HMLSB57262	LABEL:57*26MM,BLANK,WHT,R2,HF	1
3	OCL42-0003	Minilink, 42POS,CONNECTOR, STR WITH ACTIVE LATCH	2
2	OCL80-0002	X8 STRAIGHT ACTIVE OCuLink PLUG.100ohm	1
1	HWSS340010	SAS CBL:UL20744 34#2C+2D,Ag plated,BLU,850,VW-1,HF,24G	A/R
ITEM	P/N	DESCRIPTION	QTY


This drawing is the property of Serial Cables and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Serial Cables without its prior consent, and that no right is granted to disclose or use any information in this drawing.



TITLE:

SC P/N:RSC80-0039
OCULINK 8X STR TO 2X OCULINK 4X STR

DWG. No.: RML80-0039



SCALE: NONE

SHEET 1 OF 3

UNIT: MM

SIZE: A4

REV.: AX1

GENERAL TOLERANCES

.X:	± 0.5
.XX:	± 0.3
.XXX:	± 0.01
ANGULAR:	$\pm 1^\circ$

DRAWN:	DATE:
HARVEY HUANG	12/09/2016
CHECKED:	DATE:
KOCHI HU	12/09/2016
APPROVED:	DATE:
ALEX CHOW	12/09/2016

The marking on this product doesn't contain environmental hazardous materials per directive 2011/65/EU for RoHS compliance.

REVISIONS

ECN NO.	REV.	DESCRIPTIONS	CHECKED	APPROVED	DATE
REV.					

P0

A1	B2	P1
A2	B3	
A3	B4	
A4	B5	
A5	B6	
A6	B7	
A7	B8	
A8	B9	
A9	B10	
A10	B11	
A11	B12	
A12	B13	
A13	B14	
A14	B15	
A15	B16	
A16	B17	
A17	B18	
A18	B19	
A19	B20	
A20		P2
A21		
A22	B2	
A23	B3	
A24	B4	
A25	B5	
A26	B6	
A27	B7	
A28	B8	
A29	B9	
A30	B10	
A31	B11	
A32	B12	
A33	B13	
A34	B14	
A35	B15	
A36	B16	
A37	B17	
A38	B18	
A39	B19	
A40	B20	

P0

B1	A2	P1
B2	A3	
B3	A4	
B4	A5	
B5	A6	
B6	A7	
B7	A8	
B8	A9	
B9	A10	
B10	A11	
B11	A12	
B12	A13	
B13	A14	
B14	A15	
B15	A16	
B16	A17	
B17	A18	
B18	A19	
B19	A20	
B20		P2
B21		
B22	A2	
B23	A3	
B24	A4	
B25	A5	
B26	A6	
B27	A7	
B28	A8	
B29	A9	
B30	A10	
B31	A11	
B32	A12	
B33	A13	
B34	A14	
B35	A15	
B36	A16	
B37	A17	
B38	A18	
B39	A19	
B40	A20	

WIRE TABLE

GENERAL TOLERANCES

.X:	± 0.5
.XX:	± 0.3
.XXX:	± 0.01
ANGULAR:	± 1°

This drawing is the property of Serial Cables and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Serial Cables without its prior consent, and that no right is granted to disclose or use any information in this drawing.

DRAWN:	HARVEY HUANG	DATE:	12/09/2016
CHECKED:	KOCHI HU	DATE:	12/09/2016
APPROVED:	ALEX CHOW	DATE:	12/09/2016





TITLE:			SC P/N:RSC80-0039 OCULINK 8X STR TO 2X OCULINK 4X STR		
DWG. No.: RML80-0039			SHEET 2 OF 3		
		SCALE: NONE		REV.: AX1	
UNIT: MM		SIZE: A4			

The marking on this product doesn't contain environmental hazardous materials per directive 2011/65/EU for RoHS compliance.

REVISIONS					
ECN NO.	REV.	DESCRIPTIONS	CHECKED	APPROVED	DATE
REL.					

PN: RSC80-0039/RML80-0039



3	RMLSW30201	RoHS LABEL:30*20MM, LABEL5 INFO	1
2	RMLSB00401	LABEL3:100*40MM,WHT,BLANK,R2	1
1	RMBCTN0019	CARTON:590*240*200MM E TYPE	1
ITEM	PART NUMBER	DESCRIPTION	Q'TY

GENERAL TOLERANCES	
.X:	± 0.5
.XX:	± 0.3
.XXX:	± 0.01
ANGULAR:	± 1°

This drawing is the property of Serial Cables and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Serial Cables without its prior consent, and that no right is granted to disclose or use any information in this drawing.			
DRAWN:		DATE:	
HARVEY HUANG		12/09/2016	
CHECKED:		DATE:	
KOCHI HU		12/09/2016	
APPROVED:		DATE:	
ALEX CHOW		12/09/2016	



TITLE: SC P/N:RSC80-0039 OCULINK 8X STR TO 2X OCULINK 4X STR			
DWG. No.: RML80-0039			
	SCALE: NONE		SHEET 3 OF 3
	UNIT: MM	SIZE: A4	REV.: AX1